

Technical Data Sheet

KSW-UV300

Nestle Compliant PTFE Compound



Kustom Wax Additives

Product Description

KSW-UV300 is formulated to provide consistent wax particle size and outstanding efficiency in rub resistance and slip. **KSW-UV300** is an effective additive for improving nickel and fingernail scratch on non-porous substrates.

Performance Characteristics

- Manufactured using only Nestle Compliant Raw Materials
- ~ 50% White PTFE
- Excellent rub resistance and slip
- Easy to incorporate
- Eliminates dust hazard

Usage Recommendation

0.5 – 2%

Physical Properties

Average Particle Size:	5 microns
Form:	Soft Paste
Polymer Type:	PTFE

FOR YOUR PROTECTION:

The information and recommendations in this publication are, to the best of our knowledge, reliable. Suggestions made concerning uses or applications are only the opinion of KUSTOM GROUP, INC., and users should make their own tests to determine the suitability of this product for their own particular purposes. However, because of numerous factors affecting results, KUSTOM GROUP INC. makes no warranty of any kind, expressed or implied, including those of merchantability and fitness for particular purpose, other than that the material conforms applicable current Standard Specifications. Standard Specifications, although current at the time of publication, are subject to change without notice. Please refer to the MSDS for additional information. DATE REVISED: 12/15/2017